Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	299	(713/183.cds.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 08:49
S2	5	(dump OR dumped OR dumping OR extract OR extraction) AND password AND users <sup>4</sup> AND recovery AND database AND (713/183.cds.) AND (@pd<"20040408" or @ad<"20040408" or @prad~"20040408" or @prad~"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:51
83	199	(dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user84 AND recovery AND database AND ("713".das. OR "726".das. OR "380". das.) AND (@pd-«"20040408" or @prad< "20040408" or @prad< "20040408" or @flad<"20040408" or @prad< "20040408" or ### ("20040408") or #### ("20040408") or ###################################	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:52
S4	74	(sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND (ser\$4 AND recovery AND database AND ("713".das. OR "726" clas. OR "380".das.) AND (@pd<"20040408" or @ad<"20040408" or @prad~"20040408" or @prad~"20040408" or @prad~"20040408")	USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:55
<b>S</b> 5	120	(key OR public key OR private key) AND (authenticate OR sign in OR sign on OR signon OR log in OR extract OR extracted OR extracting AND password AND userSi4 AND recovery AND database AND ("713" clas. OR "726" clas. OR "380" clas.) AND (@pdc "20040408" or @rad<"20040408" or @prad<"20040408")	USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:54
S6	134	(key OR public key OR private key) AND (authenticate OR authenticated OR authenticating OR sign in OR sign on OR sign on OR sign on OR sign on OR log in OR log on OR	USPAT; USOCR; EPO; DEFWENT; IBM_TDB	ADJ	ON	2007/05/10 14:25

		LAGI Gearch				
\$7	73	(key OR public\$1key OR private\$1key) AND (sign in OR sign on OR signon OR signin OR login OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "726".clas. OR "60pt or @dd-"20040408" or @prad-"20040408" or @prad-"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:56
S8	2	*5768373".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:09
S9	2	"5699428".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:10
S10	138	(data recovery OR forensic) AND database AND ("713" .das. OR "726" .das. OR "380". das.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12
S11	22	key AND (public\$1key OR private\$1key) AND (data recovery OR forensic) AND database AND ("713" class OR "726" class OR "380" clas) AND (@pd< "20040408" or @ad<"20040408" or @prad< "20040408" or @itad< "20040408")	USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12
S12	246	(key OR public key OR private key) AND (authenticate OR authenticated OR authenticated OR authenticating OR sign in OR sign on OR logn or OR logn or OR logn or OR logn or OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND (713" clas. OR "726" clas. OR "380" clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408"	US-PGPUB	ADJ	ON	2007/05/10 14:26

		EAST Search	iistoi y			
S13	157	file AND hash AND (key CR public\$1key CR private\$1key) AND (authenticate OR authenticated OR authentication CR authenticated OR authentication OR signs on CR signs of the control of the	US-PGPUB	ADJ	ON	2007/05/10 14:28
S14	159	file AND hash AND (key OR public\$1 key OR private\$1 key) AND (authenticate OR authentication OR authentication OR authentication OR authentication OR authenticating OR sign\$1 in OR sign\$1 on CR log\$1 in OR log\$1 on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713" clas. OR "726" clas. OR "380".clas.) AND (@pdc-"20040408" or @prad-"20040408" or @prad-"20040408"	US-PGPUB	ADJ	ON	2007/05/10 14:29
S15	89	(temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1 key OR private\$1 key) AND (authenticate OR authenticated OR authenticated OR authentication OR authentication OR onection OR onection OR connection OR dumped OR dumping OR extract OR extracted OR extraction) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("13" close OR "25" close. OR "380" clas.) AND (@pdc "20040408" or @prad< "20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:30

			•			
S16	89	(momentary OR temp OR temporary OR one\$1 time) AND file AND hash AND (key OR privates*1 key) AND (authenticate OR authenticating OR sign\$1 in OR sign\$1 in OR log\$1 in OR log\$1 in OR log\$1 in OR connecting OR conn	US-PGPUB	ADJ	ON	2007/05/10 15:48
S17	1	"7216110".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 15:24
S18	89	(momentary OR temp OR temporary OR one\$titime) AND file AND hash AND (key OR private\$1 key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1 in OR sign\$1 in OR log\$1 in OR log\$1 in OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("136" clas. OR "26" clas. OR "380" clas.) AND ("204" clas. OR "08" clas.) AND ("30" clas.) AND ("40" covery or ograde" cloudvalo8" or ograde "20040408" or ograde" 20040408" or ograde" 20040408"	US-PGPUB	ADJ	ON	2007/05/10 15:48

		EAST Search	iistoi y			
S19	87	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1in OR log\$1in OR log\$1in OR or connect OR connection OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage) OR distributed storage) AND ("136. So OR "380" (das) AND ("20040408" or @prad<"20040408" or @prad<"20040408" or @prad<"20040408" or @mad<"20040408" or @mad<"200404	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:51
S20	87	(momentary OR temp OR temporary OR ons\$titme) AND file AND hash AND (key OR public\$tkey OR private\$tkey) AND (authenticate OR authentication OR authenticating OR sign\$1 in OR sign\$1 in OR log\$tin OR onnecting OR connect OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extraction) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR networks distributed storage OR repository OR repositories) AND ("713". das. OR "726" clas. OR "380" clas.) AND ("Qpd<"20040408" or @ad<"20040408" or @prad<"20040408" or @ad<"20040408" or @prad<"20040408" or @rafad<"20040408" or @rafad<"200404048" or @rafad<"20040408" or @rafa	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:57
821	312	(momentary OR temp OR temporary OR one\$ttime) AND file AND hash AND (key OR public® Ney OR private\$* key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$*In OR sign\$*In OR log\$*In OR log\$*In OR log\$*In OR log\$*In OR connect OR ownection OR connecting OR connected AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting AND password AND user\$*4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<*20040408* or @ad<*20044048* or @add<*20044048* or @flad<*20044048* or @flad<*	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:58

		EAST Scaron	,			
S22	267	(decrypt OR decryption OR decrypting OR decrypted) AND (encrypt CR encryptide OR encryption OR encryption OR encryption) AND (momentary OR temp OR temporary OR one\$1 time) AND file AND hash AND (key OR public\$1 key OR private\$1 key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1 in OR sign\$1 in OR log\$1 in OR connect OR connection OR connecting OR connecting OR connecting OR with OR with OR authentication) AND (bump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networks storage OR networks storage OR repository OR repositories) AND (@pd<20040408" or @ad<20040408" or @ad<20040408" or @ad<20040408" or @gad<20040408" or @ad<20040408" or @gad<20040408" or @gad<20040408" or @ad<20040408" or @ad<2004040408" or @ad<20040408" or @ad<2004040408" or @ad<2004040408" or @ad<20040408" or @ad<20040408" or @ad<20040408" or @ad<2004040408"	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59
\$23	266	(reading OR read OR parsing OR parsed OR parse) AND (deorypt GN decryption OR decrypting) OR decrypting AND (mementary OR temp OR temporary OR one\$1 time) AND file AND hash AND (key OR public\$1 key) OR private\$1 key) AND (authenticate OR authenticated OR authenticating OR sign\$1 in OR sign\$1 in OR log\$1 in OR connect OR connecting OR connecting OR connecting OR connecting OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR network storage OR network storage OR repository OR repositories) AND (@pd< 20040408" or @ad< 20040408" or @ad< 20040408" or @gad< 20040408" or @gad< 20040408" or @add< 20040408" or @ridad 2004088 o	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59

		EAST Search	HISLOTY			
\$24	262	(reading OR read OR parsing OR parsed OR parse OR analyze OR analyzed OR analyzed OR analyzed OR determined OR determined OR determining) AND (decrypt OR decryption OR decrypting OR decryption OR encrypted OR encryption OR encryption OR encryption OR encryption OR encryption OR oneStimely AND (lencrypt AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticating OR sign\$1 in OR sign\$1 or OR log\$1 in OR log\$1 or OR connected OR connection OR	USPAT; IBM_TDB	ADJ	ON	2007/05/10 16:00
S25	7209	data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:18
\$26	701	file AND database AND data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408") or @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19
S27	51	file AND database AND data recovery AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd-"20040408" or @ad-"20040408" or @prad<"20040408" or @riad<"20040408" or @riad<"20040408" or @riad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19
\$28	2	"6185308".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/11 09:42
S29	33	(PKI OR (private key AND public key)) AND hash\$3 AND database AND (713/183.cds.) AND (oppd-"20040408" or @ad. "20040408" or @prad<"20040408" or @riad<"20040408" or @riad<"20040408" or @riad<"20040408" or @riad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 08:58
S30	5	recovery AND (PKI OR (private key AND public key)) AND hash\$3 AND database AND (713/183.cs.) AND (@pd-"20040408" or @ad<"20040408" or @rad< "20040408" or @rad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 09:00

			•			
S31	6	recovery AND hash\$3 AND database AND (713/183.cds.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 11:03
S32	32	data recovery AND hash\$3 AND database AND ("713" das. OR "380" das. OR "726" das.) AND (@pd<"20040408" or @adc "20040408" or @prad<"20040408" or @rladc "20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:36
S33	5	password recovery AND hash AND database AND ("713" clas. OR "726" clas.) AND (@pd<"20040408" or @adc "20040408" or @grad<"20040408" or @rlad<"20040408" or @rlad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:37
S34	9	password recovery AND database AND ("713" clas. OR "380" clas. OR "726" clas.) AND (@pd< "20040408" or @prad< "20040408" or @prad< "20040408" or @rlad< "20040408" or @rlad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:40
S35	0	database password recovery AND ("713". das. OR "380" das. OR "726" das.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
S36	34	database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
\$37	17	hash AND database password AND ("713". das. OR "380" das. OR "726" das.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
S38	19	hash\$3 AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pdc.*2004408" or @adc.*20040408" or @grad<*20040408" or @grad<*20040408" or @grad<*20040408" or @grad<*20040408" or @grad<*20040408" or @grad<*20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
<b>S3</b> 9	9	username AND hash\$3 AND database password AND ("713" clas. CR "380" clas. CR "726" clas. ND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408" or @rlad< "20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S40	146	key AND password AND username AND hash\$3 AND database AND ("713" clas. OR "36" clas. OR "76" clas. No (@pd<"20040408" or @ad<"20040408" or @rlad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43

		EACT OCUTOR I	,			
S41	101	public key AND password AND username AND hash\$3 AND database AND ("713". das. OR "380".das. OR "726".das.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S42	72	private key AND public key AND password AND username AND hash53 AND database AND ("713" das. OR "380" das. OR "726" das.) AND (@pd="20040408" or @prad="20040408" or @prad="20040408" or @prad="20040408" or @prad="20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S43	1	dump file AND private key AND public key AND password AND username AND hash\$3 AND database AND ("715" clas. OR "380". das. OR "726" clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @ridad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:46
S44	26	recover\$3 AND private key AND public key AND password AND username AND hash\$3 AND database AND ("715" clas. OR "380". das. OR "726" clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @ridad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 14:16
S45	5	recover\$3 AND private key AND public key AND password AND username AND hash\$3 AND database key AND ("173" clas. OR "380".clas. OR "726" clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @ritad<"20040408"	USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:34
S46	210	(one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713" das. OR "380" das. OR "726" das.) AND (@pd < "20040408" or @ad< "20040408" or @prad< "20040408" or @riad< "20040408" or	USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:38
S47	81	temporary AND (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713" clas. OR "30" clas. OR "726" clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @fad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:38
S48	79	user AND temporary AND (one\$1time key OR one time key OR one time password OR one sessword OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713" clas. OR "830" clas. OR "726" clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @prad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:44

			-			
S49	79	access AND user AND temporary AND (one\$1time key OR one time password OR one\$1time password OR one\$1time paccess OR one time access) AND database AND ("713" das. OR "380" das. OR "726" das. AND (@pd< "20040408" or @ad< "20040408" or @grad< "20040408" or @grad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:44
S50	68	restrict\$3 AND access AND user AND temporary AND (one\$ttime key OR one time key OR one time key OR one time key OR one time access OR one time access OR one time access OR one time access OR OR one time access OR 7726".das. OR "726".das. OR	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:49
S51	68	restrict\$3 AND access AND user AND temporary AND (single use key OR single use password OR one\$1 time key OR one time key OR one time key OR one time password OR one\$1 time access OR one time access) AND database AND ("713".das. OR "380".das. OR "726".das.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @ilad<"20040408" or @ilad	USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:50
S52	9	restrict\$3 AND access AND user AND temporary password AND database AND ("713" clas. OR "826" clas. OR "726" clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:57
S53	4	access control AND user AND temporary password AND database AND ("713" das. OR "380" das. OR "726" das.) AND (@pd<-"20040408" or @ad<-"20040408" or @rad<-"20040408" or @rad<-"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08
S54	96	generat\$3 AND user AND one time password AND database AND ("713" das. OR "380" das. OR "726" (das.) AND (@pd<-"20040408" or @ad<-"20040408" or @rlad<" 20040408" or @rlad<" 20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08
S55	25	generat\$3 AND username AND one time password AND database AND ("713" das. OR "380" das. OR "726" (das.) AND (@pd<"20040408" or @ad<"20040408" or @ad<"20040408" or @rad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08

S56	4	"5592553".pn. OR "5418854".pn.	US-PGPUB:	ADJ	ON	2007/11/14 16:37
300	4	5552555 .pm. Ort 5410054 .pm.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADS	ON	200711714 10.37
S57	3341	(713/155,168,182,183.cds.   726/2.cds.   380/59,285.cds.) AND (@pd<"20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:48
S58	115	recovery AND password AND database AND (713/155,168,182,183.cds.   726/2. cds.   380/59,285.cds.) AND (@pd<*20040408*   @ad<*20040408*   @prad<*20040408*   @rlad<*20040408*)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:56
S59	6	file AND dump AND recovery AND password AND database AND (713/155, 168,182,183 cods.   726/2.cods.   380/59, 285.cds.) AND (@pdc."20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408"	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:57
S60	83	decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.068,1 726/2.cds.   380/59,285.cds.) AND (@pd<"20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
S61	35	temporary AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155, 168, 182, 183, cds, 1726/2.cds, 1380/59,285.cds, )AND (@pd<"20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
S62	83	(user   client) AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713-7155,168,182,183. cds.   726/2.cds.   380/59,285.cds.) AND (@pd<"20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408")	USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
S63	56	temporary AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155, 168, 182, 183, cds, 1726/2.cds, 1380/59,285.cds, )AND (@pd<"20040408"   @ad<"20040408") @prad<"20040408"   @riad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:12
S64	122	decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.068,1 726/2.cds.   380/59,285.cds.) AND (@pd<"20040408"   @ad<"20040408"   @prad<"20040408"   @riad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:13

			-			
S65	3	(murray.in.   mendonca.in.) AND recovery AND database AND password	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:19
S66	40	(murray.in.   mendonca.in.) AND ("713". das.   "726".das.   "380".das.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:20
S67	659	(murray.in.   mendonca.in.) AND recovery	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:20
S68	4	(murray.in.   mendonca.in.) AND (713/155, 168,182,183.cds.   726/2.cds.   380/59, 285.cds.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
S69	16	(murray.in.   mendonca.in.) AND ("713". das.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
S70	19242	(murray.in.   mendonca.in.)	USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
S71	24	(murray.in.   mendonca.in.) AND recovery AND database	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
S72	31	recover\$3 AND decrypt\$3 AND encrypt\$3 AND (database NEAR password) AND (713/155,168,182,183,068,1 726/2.cds.   380/59,285.cds.   707/9,202.cds.) AND (@pd<"20040408"   @ad<"20040408"   @prad~"20040408"   @rlad~"20040408")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 13:20
S73	29	(private   public) AND key AND recover\$3 AND decrypt\$3 AND encrypt\$3 AND (database NEAR password) AND (713/155, 168,182,183.cds.   726/2.cds.   380/59, 285.cds.   707/9.202.cds.) AND (@pd<"20040408"   @ad<"200404088"   @riad<"200404088")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 13:21